

Safety Data Sheet dated 13/1/2022, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: DECALC

UFI: 2Y60-X0FQ-3009-7G2R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Safety Data Sheet DECALC

Contains

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED
FORMIC ACID

Product contents:

non-ionic surfactants < 5 %

The product also contains: Perfumes

Allergens: D-LIMONENE

Special provisions according to Annex XVII of REACH and subsequent amendments:
None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 12.5\%$ - $< 15\%$ SULFAMIC ACID

REACH No.: 01-2119488633-28, Index number: 016-026-00-0, CAS: 5329-14-6, EC:
226-218-8



3.3/2 Eye Irrit. 2 H319



3.2/2 Skin Irrit. 2 H315

4.1/C3 Aquatic Chronic 3 H412

$\geq 1\%$ - $< 3\%$ FORMIC ACID

REACH No.: 01-2119491174-37, Index number: 607-001-00-0, CAS: 64-18-6, EC:
200-579-1



2.6/3 Flam. Liq. 3 H226



3.2/1A Skin Corr. 1A H314



3.1/3/Inhal Acute Tox. 3 H331



3.1/4/Oral Acute Tox. 4 H302

Specific Concentration Limits:

$2\% \leq C < 10\%$: Skin Irrit. 2 H315

$2\% \leq C < 10\%$: Eye Irrit. 2 H319

$10\% \leq C < 90\%$: Skin Corr. 1B H314

$C \geq 90\%$: Skin Corr. 1A H314

$\geq 1\%$ - $< 3\%$ 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED

CAS: 166736-08-9



3.1/4/Oral Acute Tox. 4 H302

 3.3/1 Eye Dam. 1 H318

Specific Concentration Limits:
0% <= C <=10,0%: Eye Irrit. 2 H319
C >=10,0%: Eye Dam. 1 H318

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.
OBTAIN IMMEDIATE MEDICAL ATTENTION.
Remove contaminated clothing immediately and dispose off safely.
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.
Irritation interior system if swallowed.
Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - For non emergency personnel:
 - Wear personal protection equipment.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
 - For emergency responders:
 - Wear personal protection equipment.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.
 - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 - See also section 8 for recommended protective equipment.
 - Advice on general occupational hygiene:
 - Contaminated clothing should be changed before entering eating areas.
 - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Store in area dedicated to acid products, keep away from alkalis and chlorine based oxidants.
 - Store away from sunlight.
 - Store in a cool and well ventilated place.
 - Do not store in open or unlabeled containers.
 - Store away from heat sources.
 - Keep away from food, drink and feed.
 - Incompatible materials:
 - Alkalines, Chlorine based oxidising, flammable, combustible.
 - Store in area dedicated to acid products, keep away from alkalis and chlorine based oxidants.
 - Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
 - None in particular.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s)
 - None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

FORMIC ACID - CAS: 64-18-6

EU - TWA(8h): 9 mg/m³, 5 ppm

ACGIH - TWA(8h): 5 ppm - STEL: 10 ppm - Notes: URT, eye, and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

SULFAMIC ACID - CAS: 5329-14-6

Worker Industry: 70.5 mg/m³ - Consumer: 17.4 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 10 mg/kg - Consumer: 5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

FORMIC ACID - CAS: 64-18-6

Worker Industry: 9.5 mg/m³ - Consumer: 3 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 19 - Consumer: 9.5 mg/m³ - Exposure: Human Inhalation -

Frequency: Short Term, systemic effects

mg/m³

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

SULFAMIC ACID - CAS: 5329-14-6

Target: Microorganisms in sewage treatments - Value: 20 mg/l

Target: Fresh Water - Value: 1.8 mg/l

Target: Marine water - Value: 0.18 mg/l

Target: Marine water sediments - Value: 0.84 mg/kg

Target: Air - Value: 0.3 mg/l

Target: Freshwater sediments - Value: 8.36 mg/kg

Target: Soil (agricultural) - Value: 5 mg/kg

FORMIC ACID - CAS: 64-18-6

Target: Marine water - Value: 0.2 mg/l

Target: Fresh Water - Value: 2 mg/l

Target: Marine water sediments - Value: 1.34 mg/kg

Target: Freshwater sediments - Value: 13.4 mg/kg

Target: Microorganisms in sewage treatments - Value: 7.2 mg/l

Target: Soil (agricultural) - Value: 1.5 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	--
Colour:	green	Visual	--
Odour:	Fruity	Olfactory	--
Odour threshold:	Evident	Olfactory	--
Melting point/freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	$\geq 100^{\circ}\text{C}$	--	Estimated value on chemical / physical properties of components
Flammability:	non-flammable	--	Estimated parameter on chemical / physical properties of components.
Lower and upper explosion limit:	Not Relevant	--	Parameter not relevant for the type of product
Flash point:	$> 60^{\circ}\text{C}$	--	Estimated value on chemical / physical properties of components
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
pH:	$< 1,0$	--	Estimated value on chemical / physical properties of components
Kinematic viscosity:	Not Relevant	--	Parameter not relevant. Not viscous mixture.
Solubility in water:	Total	--	Internal tests
Solubility in oil:	None	--	Internal tests
Partition coefficient n-octanol/water (log value):	< 1000	--	Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Density and/or relative density:	1.095 g/ml	Instrumental control	--
Relative vapour density:	Not Relevant	--	Parameter not relevant for the type of product
Particle characteristics:			
Particle size (average and range)	Not Relevant	--	Parameter not relevant for the type of product

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
Do not use in combination with other products.
- 10.2. Chemical stability
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions
In normal conditions no dangerous reactions of the mixture
Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
See also scetion 7.2.
- 10.4. Conditions to avoid
Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
Avoid direct sunlight and exposure to heat sources.
- 10.5. Incompatible materials
Alkalines, Chlorine based oxidising, flammable, combustible.
Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products
Do not use in combination with other products.
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

DECALC

- a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
The product is classified: Skin Corr. 1A H314
- c) serious eye damage/irritation
The product is classified: Eye Dam. 1 H318
- d) respiratory or skin sensitisation
Not classified
Based on available data, the classification criteria are not met
- e) germ cell mutagenicity
Not classified
Based on available data, the classification criteria are not met
- f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
- g) reproductive toxicity
Not classified

- Based on available data, the classification criteria are not met
- h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met
 - i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
 - j) aspiration hazard
Not classified
Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:
Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.
- SULFAMIC ACID - CAS: 5329-14-6
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 200 mg/kg
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OCSE 402
 - b) skin corrosion/irritation:
Test: Skin Irritant Positive
 - c) serious eye damage/irritation:
Test: Eye Irritant Positive
 - g) reproductive toxicity:
Test: NOAEL - Species: Rat = 200 mg/kg bw/d - Notes: Fetal development
 - i) STOT-repeated exposure:
Test: NOAEL - Route: Oral - Species: Rat = 929 mg/kg bw/d - Source: OCSE 408
- FORMIC ACID - CAS: 64-18-6
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 730 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat = 7.85 mg/l - Duration: 4h
 - b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive
 - c) serious eye damage/irritation:
Test: Eye Corrosive Positive
 - d) respiratory or skin sensitisation:
Test: Skin Sensitization Negative
 - e) germ cell mutagenicity:
Test: Mutagenesis Negative
 - j) aspiration hazard:
Test: Aspiration hazard Positive
- 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg
 - b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404
 - c) serious eye damage/irritation:
Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405
 - d) respiratory or skin sensitisation:
Test: Skin or Resp. Sensitization Negative - Source: OECD 406
 - e) germ cell mutagenicity:
Test: Mutagenesis Negative - Source: Ames test
- FORMIC ACID - CAS: 64-18-6
LD50 (RAT) ORAL: 1210 MG/KG

11.2. Information on other hazards
Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.
Until the revision date of this document, are not available experimental data on the mixture.
Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DECALC

Not classified for environmental hazards
Based on available data, the classification criteria are not met

SULFAMIC ACID - CAS: 5329-14-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 70.3 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 71.6 mg/l - Duration h: 48 - Notes: Daphnia Magna

Endpoint: EC50 - Species: Algae = 48 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 60 mg/l - Duration h: 816 - Notes: Danio Rerio

Endpoint: NOEC - Species: Daphnia = 19 mg/l - Duration h: 504 - Notes: Daphnia Magna

c) Bacteria toxicity:

Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 200 mg/l - Duration h: 3

FORMIC ACID - CAS: 64-18-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 130 mg/l - Duration h: 96 - Notes: Brachydanio rerio

Endpoint: EC50 - Species: Daphnia = 32.19 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 1240 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 100 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 72 mg/l - Duration h: 312

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 96 - Notes: Brachydanio rerio

Endpoint: EC50 - Species: Daphnia > 10 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 10 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: EC10 - Species: Algae > 1 mg/l - Notes: Desmodesmus subspicatus

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture.
Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

SULFAMIC ACID - CAS: 5329-14-6

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: 97

FORMIC ACID - CAS: 64-18-6

Biodegradability: Readily biodegradable - Duration: 28 days - %: 100

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: >60

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6

SECTION 14: Transport information



14.1. UN number or ID number

ADR-UN Number: 1760

IATA-UN Number: 1760

IMDG-UN Number: 1760

14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, N.O.S.(FORMIC ACID)

IATA-Shipping Name: CORROSIVE LIQUID, N.O.S.(FORMIC ACID)

IMDG-Shipping Name: CORROSIVE LIQUID, N.O.S.(FORMIC ACID)

14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 80

IATA-Class: 8

IATA-Label: 8

IMDG-Class: 8

14.4. Packing group

Safety Data Sheet DECALC

ADR-Packing Group:	III	
IATA-Packing group:	III	
IMDG-Packing group:	III	
14.5. Environmental hazards		
ADR-Environmental Pollutant:	No	
IMDG-Marine pollutant:	No	
IMDG-EmS:	F-A	S-B
14.6. Special precautions for user		
ADR-Subsidiary hazards:	-	
ADR-S.P.:	274	
ADR-Transport category (Tunnel restriction code):	3 (E)	
IATA-Passenger Aircraft:	852	
IATA-Subsidiary hazards:	-	
IATA-Cargo Aircraft:	856	
IATA-S.P.:	A3 A803	
IATA-ERG:	8L	
IMDG-SP:	223 274	
IMDG-Subsidiary hazards:	-	
IMDG-Stowage and handling:	Category A SW2	
IMDG-Segregation:	-	
14.7. Maritime transport in bulk according to IMO instruments		
Not applicable		

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Dir. 98/24/EC (Risks related to chemical agents at work)
 - Dir. 2000/39/EC (Occupational exposure limit values)
 - Regulation (EC) n. 1907/2006 (REACH)
 - Regulation (EC) n. 1272/2008 (CLP)
 - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 - Regulation (EU) n. 2020/878
 - Regulation (EU) n. 286/2011 (ATP 2 CLP)
 - Regulation (EU) n. 618/2012 (ATP 3 CLP)
 - Regulation (EU) n. 487/2013 (ATP 4 CLP)
 - Regulation (EU) n. 944/2013 (ATP 5 CLP)
 - Regulation (EU) n. 605/2014 (ATP 6 CLP)
 - Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 - Regulation (EU) n. 2016/918 (ATP 8 CLP)
 - Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 - Regulation (EU) n. 2017/776 (ATP 10 CLP)
 - Regulation (EU) n. 2018/669 (ATP 11 CLP)
 - Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 - Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
None

Where applicable, refer to the following regulatory provisions :

- Directive 2012/18/EU (Seveso III)
- Regulation (EC) nr 648/2004 (detergents).
- Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate



Safety Data Sheet DECALC

ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet
DECALC



ANNEX I
PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including solvent based products)
Description of activities/process considered on exposure scenario.	
Dilute with water as specified on the label, if necessary.	
Use following the use instruction as specified on the label.	
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	- 1 time a day for daily cleaning detergents - Periodical for specific detergents
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the label, the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment